The Computing & Interdisciplinary Systems Office

Annual Review and Planning Meeting October 9-10, 2002

Information Environments

Gregory J. Follen Cynthia Naiman




2002 CISO Review

Agenda:

- CNIS organization
- •NPSS V1.5 milestone
- FY'02 milestones accomplished
- Status of Information Environments
- •FY'03 plans



CNIS - Organization



Information Environments

The **objective** of GRC CNIS/IE work is to build a plug-n-play infrastructure that provides the Grand Challenge Applications with a suite of tools for coupling codes together, numerical zooming between fidelity of codes and gaining deployment of these simulations onto the Information Power Grid. The GRC CNIS/IE work will streamline and improve this process by providing tighter integration of various tools through the use of object oriented design of component models and data objects and through the use of CORBA (Common Object Request Broker Architecture).

Approach:

Interface Layer

Assembly of the simulation, this could be simple to sophisticated. It defines the order of execution, linking of components, and validity check of components.

Execution Layer

Startup, control, shutdown of simulations, events, provide batch to command switching with strong ties to the generic needs of the Grand Challenge Applications.

Simulation Services Layer

Initially, this layer will be populated with objects/agents to provide security of data, coupling infrastructure, zooming infrastructure, visualization, temporal data storage, portals for collaboration. The Simulation Services layer ends up closest to Grid Common Services.

Programming Services

Best practices in developing a stable, accurate, repeatable simulation. Definitions of expected simulation behavior. Automated Tools for wrapping code, data parameter extraction and movement.



Information Environments -FY02 Milestones

Demonstrate the Visual assembly of a complete aerospace propulsion system with 1 Dimensional zoomed analysis. 2nd QY 2002

Develop a mechanism for component based models to read/write standard formats such as XML/HDF/CCA/CGNS. 4th QY 2002.


CORBA wrap the Information Power Grid Services, meta-computing directory services (MDS), resource management (GRAM) and access to secondary storage (GASS supporting a zoomed propulsion parameter study. 4th QY 2002.

Demonstrate coupling objects for an object-based multidisciplinary simulation using ADPAC, ANSYS. 4th QY 2002



2002 CISO Review

Information Environments - Object-Oriented Architecture





NPSS 1.5.0W Release Highlights

- Space Transportation Components & Capabilities
- New/Enhanced Engineering Components
- Improved Socket Design
- Enhanced CIAPP Development Kit
- CIAPP CORBA Server Mode
- Initial Visual Based Syntax Capability
- Plug-n-Play Thermo
- Enhanced Customer Deck
- Enhanced Solver: Discrete State Variables, Constraints
- Enhanced C++ Converter, Autodoc, Message Handler
- Unit Conversions
- NT Port
- Linear Model Generation



2002 CISO Review

NPSS 1.5.0W Release Statistics

Active CRs = open, assigned, scheduled, ready_test, and ready_merge states Finished CRs = built and closed since V1.0.0 released (March '00).

894




DEFECTS		ENHANCEMENTS		REQUIREMENTS		
Active	291	Active	84	Active CRs (REQs)	11 (cover 20 reqs)	
Finished	310	Finished	117	Finished since 3/00	25 (cover 43 reqs)	
Deferred	34	Deferred	19			
Rejected	3	Rejected	0			
Total DEFECT	s 638	Total ENHANCEMENTs	220	Total REQs	36 (cover 60 reqs)*	
			* 1 REQ covered 12 VBS reqs.		VBS reqs.	
				NOTE: Total aero & space SRS regs = 193		

Total Active CRs	386
Total finished since 3/00	452
Total Currently Deferred	53
Total Currently in Rejected State	3

COMPUTING
INFORMATION &
COMMUNICATIONS
TECHNOLOGY

TOTAL Version 1.5.0W CRs

Award Winning Software



 Finalist to CrossTalk: The Journal of Defense Software Engineering TOP Software Projects for 2001 (top 16 out of 87 entries)



 2002 NorTech Innovation Award Winner



2002 R&D 100 Award Winner



2002 CISO Review

NPSS V1.5+ current usage

- •Georgia Institute of Technology: specifically the Aerospace Systems Design Laboratory of the School of Aerospace Engineering, is using the NPSS software strictly for NASA contract work for the Ultra Efficient Engine Technology Program.
- •Rolls-Royce plc: (in Bristol, England), under contract to Pratt & Whitney for the Joint Strike Fighter LiftFan (R), will probably present LiftFan (R)aerodynamic performance to Pratt & Whitney in the form of NPSS input. Rolls-Royce Corp. (in Indianapolis) will assist Rolls-Royce plc in this event.
- •GEAE:Besides GP7000, we are currently using it for selected PD/new engine studies and are using it to support the CF34-10, our latest commercial engine certification program. The support work and test data analysis for the recent CF34-10 first engine to test (FETT) was done using NPSS. We have trained over 50 people on NPSS and will have trained more than 80 people by the end of the year. We are in the process of migrating some current models and all of our future engine performance simulation work to NPSS.
- •Boeing: We have used NPSS to model two systems that contain fuel cells. NPSS is lacking in many of the components needed for this type of simulation, but elements are fairly easy to construct using the interpreted code which is a plus for these kind of studies. Both GE and P&W have delivered sample models preliminary to models later this year for the sonic cruiser program.
- •DRFC: Long term plan is to eventually use NPSS to analyze ram/scramjets, RBCC, and TBCC propulsion systems that we might flight test here in Dryden. I also might need to use it to analyze rockets, as we spool up a small rocket flight test capability here. We are looking at solid-fuel rockets, but we will probably look at liquid-fuels as well as hybrids.
- •PWFL: We are currently involved in the process of validating NPSS for use in modeling liquid rocket engines (NASA SLI via P&W / AEROJET COBRA engine) and for use in modeling Hypersonic engines (ISTAR) here at Pratt & Whitney Space Propulsion.




NPSS V1.5 current usage

•FTT has been using NPSS for almost a year now, primarily in support of advanced DoD programs in the Air Force and Navy. FTT has also been evaluating NPSS as regards application to industrial gas turbines, electric power plants, and chemical process facilities. Our future intentions for use (provided a continuing agreement for NPSS usage is obtained from NASA)include expansion of these activities to additional programs in military and civilian aviation, power systems, and process industries, and eventual integration of NPSS into the design process at FTT.



2002 CISO Review

Lockheed Martin Utilizing NPSS to integrate propulsion simulations of PW and GE engines into the F-35 Joint Strike Fighter



NPSS/Linear Model Generator



What

- Linear Models relate changes in selected State Derivatives and output variables to changes in the corresponding States and selected input variables.
- Linear Model represented by 4 sensitivity matrices, referred to as the ABCD matrices, that contain these sensitivities.

Why

- Provides characteristic response data to control design tools
- Provides individual Linear Models that collectively represent a piecewise linear model of an engine.



2002 CISO Review

NPSS/Linear Model Generator



How

- Validate against P&W SOAPP generated linear model of the same engine.
- Number match not exact due to small differences between SOAPP and NPSS non-linear models.
- Matlab analysis shows responses of the SOAPP and NPSS linear models are essentially identical.

Status

Initial version completed and release.




Engineering for Complex Systems (ECS) ECS WBS 2.2.5 Subsystem Model Integration Methods L5: Propulsion Subsystem Performance Modeling

Tasks for 2002

- Setup NPSS in SimLab. Completed
- Deliver 90K NPSS Engine model to Controls Group. Completed
- Develop and Validate linear/non-linear XTE46 NPSS Models.
 Near Completion
- Establish Initial Communication between NPSS and MatLab. Completed
- Incorporate Simple Controller with NPSS. Completed


NEAR-TERM TASK GOALS

- Develop NPSS controller interface Completed
- Give NPSS the ability to model 1-D transients.
- Develop a Linear Model Generator (LMG) Completed



NPSS Plant Model

ECS WBS 2.2.5 Subsystem Model Integration Methods L5: Propulsion Subsystem Performance Modeling LONG-TERM TASK GOALS




- Add health monitoring parameters and diagnostic/prognostic capability.
- Add life models to NPSS model.
- Use NPSS with updated capability to develop and validate Intelligent Life Extending Control (ILEC).




2002 CISO Review

l=f(S)


NASA/GRC – CNIS Framework for Grid Enabling of Multi-Discipline & Multi-Fidelity Aerospace Simulations




NASA/GRC – CNIS Framework for Grid Enabling of Multi-Discipline & Multi-Fidelity Aerospace Simulations



Coupling between HPUMP3d and ANSYS under CORBA Development Kit








Information Environments - Visual Assembly

- First release with NPSS version 1.50
- Object editor framework, with CaseRow, CaseColumn and VarDump Viewer editors
- Preferences Editor
- Library Manager
- Printing
- Alternate NPSS Interface (non-CORBA)
- GUI for solver setup




2002 CISO Review





I.E. - Development Kit FY02 Accomplishments



Overall

- Linux port - New Sun compiler port - MICO port for all platforms except NT (requires patched MICO 2.3.7) - Unified IDL: now server mode can be external component (no ports), and includes file transfer support. - 3rd party file & variable transfers. HDF capability added to VOB.

CCDK developments in VOB

* - Higher fidelity support in a separate deliverable (HiFi.tar.gz)* - PUMPA is now a separate deliverable (CCDKrockets.tar.gz)* - C++ standalone client support includes Prof. Sang's caching scheme, support for all array types. - New CORBA security technique incorporated, but not tested with a secure ORB. (update of Tammy Blaser's code)

CCDK developments not in VOB

- BRSTK component - ptyWrapper tool (from last year, but now portable and in standard build form) - Simple indirect wrapper support, 'file signaling' wrapper support.





2002 CISO Review


I.E. - Development Kit FY02 Accomplishments

Zooming & CORBA Wrapping

 A GUI based tool to aid in the wrapping of DLM's and CORBA elements is being developed.









CNIS Smart Card High Level Architecture Based On JavaCard Technology





2002 CISO Review

I.E. - Development Kit FY02 Accomplishments CORBA Security, Smart Card Prototyping

CNIS Prototyping using JavaCard And Biometric Devices



Development JavaCard EEPROM 18K



Main Development JavaCard Common Criteria EAL 5+ FIPS 140-1 EEPROM 57K



Biometrics fingerprint smart card reader for C & C++ developments EEPROM 8K (Learning Tool)



Development JavaCard EEPROM 28K



Development JavaCard with pre installed Java PKI digital certificate applet EEPROM 21K



Biometrics fingerprint smart card (JavaCard) reader with preinstalled Java Bio applet (On Order)





- Development Approach: Use JavaCards technology to develop web based cryptographic prototypes to support:
 - Generation of key pairs on a card, Store X.509 certificates on a card
 - X.509 most widely used standard (International Telecommunication Union (ITU) recommendation) for defining a digital certificate
 - Use private key for digital signing of an electronic document and encryption/decryption of messages
 - Use certificates to authenticate CNIS card holder users for access to CNIS distributed Web Services and Applications
 - Simple Object Access Protocol (SOAP) and Extensible Markup Language (XML) based Web Services and Globus Web Services
 - Common Object Request Broker Applications (CORBA) Applications
 - Experiment with porting JavaCard applets to various operating system environments (Win2K, Linux, Solaris) by leveraging off of open standards

Future Plans:

- Integrate JavaCard prototype efforts with biometric fingerprint devices
- Integrate prototype with Organization for the Advancement of Structured Information Standards (OASIS)
 - Integrate enterprise technologies Security Assertion Markup Language (SAML)
- Integrate Entrust compatible on card X.509 Rivest, Shamir and Adleman asymmetric algorithm (RSA) Personalization
- Integrate CNIS web services and CORBA applications to include delegation security models
- Demonstrate multiple applet JavaCard configuration supporting multiple card holder (user) authorized tasks



2002 CISO Review

I.E. - Development Kit FY02 Accomplishments CORBA Security, Smart Card Prototyping




Significance:

In order to support NASA's heterogeneous computing base a generic smart card prototype architecture design is being developed ...

- The prototype will consist of a profile driven set of generic authentication JavaCard applets
 - User's ONE JavaCard can be used at various different computer platforms to do different authorized tasks
- JavaCard development is a technical leveraging point to implement wireless security.
- Entrust Personalization supports NASA Certificate Authority (CA) signing
 - Allows integration crossover from CNIS JavaCard research to NASA JavaCard deployment.
- BIG ENCHALOTA: Future development will include multiple-factor authentication by combining techniques
 - Biometric (something users are)
 - Digital certificates and/or SecurID (something users have)
 - PIN (something users know)









2002 CISO Review

I.E. - Development Kit FY02 Accomplishments CORBA Security, Smart Card Prototyping





- Digital certificate generation and storage on JavaCard
 - Commercial CA and self signed on card X.509 RSA Personalization (initial phases)
 - Entrust compatible on card X.509 RSA Personalization signed by NASA Ames CA (future phase)
- Secure communications channel between JavaCard and CardTerminal Manager using X.509 RSA Authentication, Data Encryption Standard (DES) Integrity, DES Confidentiality
 - CardTerminal Manager (Card Issuer Management)
 - PIN and X.509 card holder authentication (initial phase)
 - Fingerprint card holder authentication (future phase)
 - Uses digital certificate on JavaCard
 - CNIS User PKI Authentication Applet
- Delegation management between JavaCard and CardTerminal Application (Client or Server) using token driven X.509 RSA certificates and DES encryption/decryption
 - Ensures that the files being transmitted to the JavaCard and the applications being installed upon a JavaCard by an entity other than the card issuer (i.e. CardTerminal Application Client or Server) has been previously "Authorized" by the card issuer (i.e. CardTerminal Manager).
 - Uses CNIS User PKI Authentication Applet
 - Delegation Applet



- SSL or CORBASec session between "Authorized" CardTerminal CORBA Client and "Authorized" CardTerminal CORBA Server using on card secure applets (future phase)
 - Uses CNIS User Authentication Applet
 - Uses Delegation Applet
 - SSL CORBA Applet
 - CORBASec Applet
- SSL session between "Authorized" CardTerminal Web Service Client and "Authorized" CardTerminal CORBA Server using on card secure applets (future phase)
 - Uses CNIS User Authentication Applet
 - Uses Delegation Applet
 - SSL Web Service/CORBA Applet
- Secure SAML session between "Authorized" CardTerminal CORBA Client and "Authorized" CardTerminal CORBA Server using on card secure applets (future phase)
 - Uses SSL CORBA Applet Development
 - Secure SAML CORBA Applet
- Secure SAML session between "Authorized" CardTerminal Web Service Client and "Authorized" CardTerminal CORBA Server using on card secure applets (future phase)
 - Uses SSL Web Service/CORBA Applet Development
 - Secure SAML Web Service/CORBA Applet




2002 CISO Review

I.E. - Development Kit FY02 Accomplishments

CAD Services V 1.0, A CORBA Interface for Geometry Information Sharing

Russ Claus (claus@grc.nasa.gov)
Turbomachinery and Propulsion Systems Division
NASA Glenn Research Center
and
Ilan Weitzer (iweitzer@ford.com)

CADCAM Systems
Ford Motor Company





I.E. - Development Kit FY02 Accomplishments

CAD Services V 1.0, A CORBA Interface for Geometry Information Sharing


Features

- Geometry and topology queries for both manifold and nonmanifold geometries
 - Tessellated representation and point queries
- Parametric regeneration of solid models
- Tagging geometric entities with application-specific information
- Geometry creation



2002 CISO Review

CAD Services V 1.0 Modules



I.E. - Development Kit FY02 Accomplishments

Current Status

June 28, 2002 CAD Services Standard made "Available" By Object Management Group – highest level of standard

- CAD Services commercial software available soon
 - ITI TranscenData (available now- built on CADscript)
 - Unigraphics (available next year)
 - Catia (?)
- Open Source Implementation
 - OpenCASCADE (http://www.opencascade.org/3dwb/cadservices)
 - (beta available now email: m-kazakov@opencascade.com)
 - Full commercial version early next year
- Future Efforts:
 - Solid Modeling RFP to be released Oct. 2002



2002 CISO Review

Information Environments – Milestones FY03-FY05

Develop data translation and sys multi-component simulations.		Couple ANSYS, HPUMP3d using translation methods.	Sep-03	GRC
Develop a Visual Assembly capa coupling of high fidelity codes f	bility to allow the assembly,		Sep-03	GRC
Develop the object middleware start/stop servers, component coapplication	•	Start and stop a code such as CIAPP coupled with ANSYS, HPUMP3D	Sep-03	GRC
Develop a grid aware application		Deploy the Vulcan or Hah3D code on the Grid using the API	Sep-04	GRC
Develop a web-enabled visual as coupling codes over a distribute		Assemble Vulcan and Overflow into a simulation using Visual tool.	Jun-04	GRC
Develop multiple cross-dimensi to support multi-fidelity compo- reasoning features, celestial net	nent models automated	Couple at least two aeropropulsion CFD codes (ie ANSYS, HAH3D, VULCAN) using translation methods.	Sep-04	GRC
Extend Visual Assembly capabil interface		Assemble 3Dimensional CFD (ie Vulcan and Overflow) into a simulation using Visual tool.	Sep-05	GRC
Develop the infrastructure allow Aero/Thermal/Structural CFD P incorporating wireless sensor in Celestial/Terrestrial Information	ropulsion System Simulation put deployed over a	Deploy a simulation using mixed fidelity CFD (ie CIAPP, ANSYS, and Vulcan) over the IPG.	Sep-05	GRC



Summary & Takeaways

- •Information Environment (IE) focus is on Coupling, Zooming, Wrapping and, in general, the building of the CORBA Development Kit for Grand Challenge Applications over the Information Power Grid.
- •FY'02 has been a transition year that has begun to move away from the 0-Dimensional focus toward the object middleware to deploy higher fidelity simulations securely over the Information Power Grid.

